



PRODUCT CATALOGUE



## 23.8" (61 cm)

### AVS240WS

IPS LED, FULL HD 1920 X 1080

#### FEATURES

Angle View (H/V) 178°/178°

Tempered Safety Glass Screen Finish

Smart TV (Powered by Android TV)

DTV: DVB-T/T2/C/S2, Freeview

ATV: PAL / NTSC

Internal Built-In Speakers 2\*8W

I/O: WiFi, Ethernet (RJ45),  
3 x HDMI, TV (75ohm),  
TV(S2/S2X), VGA,USB, DC(12V), Mini  
YPBPR, Mini AV, Earphone,  
CI+ Slot, Digital Audio Out (Optical), IR  
Pass Through

IP66 Waterproof Remote Control,  
2.4GHz Smart TV Voice Remote Control

AC Power Input 100-240V

#### COMPATIBLE LIFT SYSTEMS (NOT INCLUDED)

##### BLUM AVENTOS TIP-ON & SERVO DRIVE

- 1. HK27 (20S4200)
- 2. HL27/35 (20S4200)
- 3. HK TOP27

##### KESSEBOHMER PUSH-TO-OPEN & ETOUCH

- 1. FREEFLAP FORTE-E
- 2. FREESLIDE Q3US

##### HAFELE PUSH-TO-OPEN & ETOUCH

- 1. FREE FLAP 3.15 E
- 2. FREE UP Q3US



**BLACK FRAME**

PANEL BRIGHTNESS:  
250 CD/M2



**WHITE FRAME**

PANEL BRIGHTNESS:  
250 CD/M2

MOUNTING: CABINET DOOR INSTALLATION, COMPACT SIZE: 382 x 594 MM



# FULL SIZE KITCHEN CABINET TV

## 23.8" (61 cm)

### AVS240KS

IPS LED, FULL HD 1920 X 1080

#### FEATURES

Angle View (H/V) 178°/178°

Tempered Safety Glass Screen Finish

Smart TV (Powered by Android TV)

DTV: DVB-T/T2/C/S2, Freeview

ATV: PAL / NTSC

Internal Built-In Vibration

Speakers 2\*8W

I/O: WiFi, Ethernet (RJ45), 3xHDMI, TV (75ohm), TV (S2 / S2X), VGA, USB, DC (12V), Mini YPBPR, Mini AV, Earphone, CI+ Slot, Digital Audio Out (Optical), IR Pass Through

IP66 Waterproof Remote Control, 2.4GHz Smart TV Voice Remote Control

AC Power Input 100-240V

#### COMPATIBLE LIFT SYSTEMS (NOT INCLUDED)

##### BLUM AVENTOS TIP-ON & SERVO DRIVE

1. HK29 (20S4200)
2. H L27/38 (20S4200)
3. HK TOP29

##### KESSEBOHMER PUSH-TO-OPEN & ETOUCH

1. FREEFLAP FORTE-F
2. FREESLIDE Q3US

##### HAFELE PUSH-TO-OPEN & ETOUCH

1. FREE FLAP 3.15 F
2. FREE UP Q3US



##### BLACK FRAME

PANEL BRIGHTNESS:  
250 CD/M2



##### WHITE FRAME

PANEL BRIGHTNESS:  
250 CD/M2



##### MIRROR MAGIC

PANEL BRIGHTNESS:  
700 CD/M2

MOUNTING: CABINET DOOR INSTALLATION, FULL SIZE: 455 x 594 MM



## 32" (81cm)

### AVS320KS

IPS LED, 1920 X 1080

#### FEATURES

Angle View (H/V) 178°/178°

Tempered Safety Glass Screen Finish

Smart TV (Powered by Android TV)

DTV: DVB-T/T2/C/S2, Freeview

ATV: PAL / NTSC

Internal Built-In Vibration

Speakers 2\*8W

I/O: WiFi, Ethernet (RJ45),

3 x HDMI, TV (75ohm),

TV (S2 / S2X), VGA, USB, DC (12V),

Mini YPBPR, Mini AV, Earphone, CI+

Slot, Digital Audio Out (Optical), IR Pass Through

IP66 Waterproof Remote Control,

2.4GHz Smart TV Voice Remote Control

AC Power Input 100-240V

#### COMPATIBLE LIFT SYSTEMS (NOT INCLUDED)

##### BLUM AVENTOS

##### TIP-ON & SERVO DRIVE

1. HK TOP29

2. HL29/35 (20S4200)

##### KESSEBOHMER

##### PUSH-TO-OPEN & ETOUCH

1. FREEFLAP FORTE-G

2. FREESLIDE Q4US

##### HAFELE

##### PUSH-TO-OPEN & ETOUCH

1. FLAP 3.15 G

2. FREE UP Q4US



#### BLACK FRAME

PANEL BRIGHTNESS: 350 CD/M2

MOUNTING: CABINET DOOR INSTALLATION, WIDE SIZE: 455 x 894 MM



## 32" (81cm)

### AVS325KS

IPS LED, 1920 X 1080

#### FEATURES

Angle View (H/V) 178°/178°

Tempered Safety Glass Screen Finish

Smart TV (Powered by Android TV)

DTV: DVB-T/T2/C/S2, Freeview

ATV: PAL / NTSC

Internal Built-In Vibration

Speakers 2\*8W

I/O: WiFi, Ethernet (RJ45), 3xHDMI, TV (75ohm), TV (S2/S2X), VGA, USB, DC (12V), Mini YPBBR, Mini AV, Earphone, CI+ Slot, Digital Audio Out (Optical), IR Pass Through

IP66 Waterproof Remote Control,  
2.4GHz Smart TV Voice Remote Control

AC Power Input 100-240V

#### COMPATIBLE LIFT SYSTEMS (NOT INCLUDED)

##### BLUM AVENTOS TIP-ON & SERVO DRIVE

1. HK29 (20S4200)
2. HL29/38 (20S4200)
3. HK TOP29

##### KESSEBOHMER PUSH-TO-OPEN & ETOUCH

1. FREEFLAP FORTE-G
2. FREESLIDE Q4US

##### HAFELE PUSH-TO-OPEN & ETOUCH

1. FLAP 3.15 G
2. FREE UP Q4US



#### BLACK FRAME

PANEL BRIGHTNESS: 350 CD/M2

MOUNTING: CABINET DOOR INSTALLATION, WIDE SIZE: 514 x 756 MM  
30" WIDTH CABINET





## 23.8" (61 cm)

### AVS245K

ANDROID TOUCH WIFI TV  
IPS LED, 1920 X 1080

#### FEATURES

Tempered Safety Glass Screen Finish

Android 7.1,  
RK3288 Cortex-A17 (1.8 GHz),  
DDR3 2G RAM, 8Gb storage

13 Mega Pixel Camera,  
Bulit-in Microphone

WiFi 2.4G, Ethernet RJ45 Gigabit,  
Bluetooth 4.0

Internal Built-in  
Vibration Speakers 2 \* 6W

I/O: 2 x USB, 1 x OTG, 1 x RJ45,  
1 x Earphone, 1 x SD, DC In (12V)

Power Adapter AC  
100-240V to DC 12V/4.25A

#### COMPATIBLE LIFT SYSTEMS (NOT INCLUDED)

##### BLUM AVENTOS TIP-ON & SERVO DRIVE

- 1. HK29 (20S4200)
- 2. HL27/38 (20S4200)
- 3. HK TOP29

##### KESSEBOHMER PUSH-TO-OPEN & ETOUCH

- 1. FREEFLAP FORTE-F
- 2. FREESLIDE Q3US

##### HAFELE PUSH-TO-OPEN & ETOUCH

- 1. FREE FLAP 3.15 F
- 2. FREE UP Q3US



#### BLACK FRAME

PANEL BRIGHTNESS: 250 CD/M2

MOUNTING: CABINET DOOR INSTALLATION, FULL SIZE: 455 x 594 MM



## 23.8" (61 cm)

### AVS240SM (MAGIC MIRROR)

IPS LED, 2K FHD 1920 X 1080

#### FEATURES

Full IPX4 (IP65 Front) Waterproof TV

DTV: DVB-T/T2/C/S2, Freeview

ATV: PAL / SECAM

Magic Mirror Tempered Safety Glass  
Screen Finish

Integrated Vibration Speakers 2\*8W

I/O: 2 x HDMI, TV (75Ohm),  
TV (S2), Mini AV, Mini YPBPR,  
PC Audio In, 2 x USB, DC In,  
CI Slot (CI +), IR Pass Through

IP66 Waterproof Remote Control +  
Premium Remote Control

Power Adapter AC 100-240V to DC

#### SCREEN PARAMETERS

Aspect Ratio 16:9

Contrast 1000:1

Viewing Angle: (H/V) 178°/178°

#### MOUNTING

In-Wall Installation

Installation Metal Back Box Included



## ULTRA HIGH BRIGHTNES

#### MAGIC MIRROR

PANEL BRIGHTNESS: 700 CD/M2



## SMART TV

### ANDROID 9

IPS LED, 4K UHD 3840 X 2160

### FEATURES

Full IPX4 (IP65 Front) Waterproof TV

DTV: DVB-T/T2/C/S2, Freeview

ATV: PAL, SECAM, NTSC

Magic Mirror Tempered Safety Glass  
Screen Finish

Integrated Vibration Speakers 2\*10W

I/O: 3 x HDMI, TV (75Ohm),  
TV (S2), Optical Fiber, 2 x USB, DC/  
AC In, RJ45, IR Pass Through, VGA,  
Composite In(RCA)

IP66 Waterproof Remote Control +  
Premium Remote Control

Power Adapter AC 100-240V to DC  
or AC 100-240V Input

Bluetooth

### SCREEN PARAMETERS

Aspect Ratio 16:9

Contrast 1200:1

Viewing Angle: (H/V) 178°/178°

### MOUNTING

In-Wall Installation

Installation Metal Back Box Included



## ULTRA HIGH BRIGHTNESS SERIES

**43" (108cm)**

**AVS430SM  
(MAGIC MIRROR)**

PANEL BRIGHTNESS:  
800 CD/M2

**65" (164cm)**

**AVS650SM  
(MAGIC MIRROR)**

PANEL BRIGHTNESS:  
800 CD/M2

**55" (140cm)**

**AVS550SM  
(MAGIC MIRROR)**

PANEL BRIGHTNESS:  
800 CD/M2

**75" (191cm)**

**AVS750SM  
(MAGIC MIRROR)**

PANEL BRIGHTNESS:  
400 CD/M2





## 23.8" (61 cm)

### AVS240SM (OPTIWHITE)

IPS LED, 2K FHD 1920 X 1080

#### FEATURES

Full IPX4 (IP65 Front) Waterproof TV

DTV: DVB-T/T2/C/S2, Freeview

ATV: PAL / SECAM

Optiwhite Tempered Safety Glass  
Screen Finish

Integrated Vibration Speakers 2\*8W

I/O: 2 x HDMI, TV (75Ohm),  
TV (S2), Mini AV, Mini YPBPR,  
PC Audio In, 2 x USB, DC In,  
CI Slot (CI +), IR Pass Through

IP66 Waterproof Remote Control +  
Premium Remote Control

Power Adapter AC 100-240V to DC

Touch Buttons

#### SCREEN PARAMETERS

Aspect Ratio 16:9

Contrast 1000:1

Viewing Angle (H/V) 178°/178°

#### MOUNTING

In-Wall Installation

Installation Metal Back Box Included



#### OPTIWHITE FRAME

PANEL BRIGHTNESS: 250 CD/M2



## 23.8" (61 cm)

### AVS240SM (BLACK FRAME)

IPS LED, 2K FHD 1920 X 1080

#### FEATURES

Full IPX4 (IP65 Front) Waterproof TV

DTV: DVB-T/T2/C/S2, Freeview

ATV: PAL / SECAM

Black Frame Tempered Safety Glass  
Screen Finish

Integrated Vibration Speakers 2\*8W

I/O: 2 x HDMI, TV (75Ohm),  
TV (S2), Mini AV, Mini YPBPR,  
PC Audio In, 2 x USB, DC In,  
CI Slot (CI +), IR Pass Through

IP66 Waterproof Remote Control +  
Premium Remote Control

Power Adapter AC 100-240V to DC

Touch Buttons

#### SCREEN PARAMETERS

Aspect Ratio 16:9

Contrast 1000:1

Viewing Angle (H/V) 178°/178°

#### MOUNTING

In-Wall Installation

Installation Metal Back Box Included



#### BLACK FRAME

PANEL BRIGHTNESS: 250 CD/M2

## 23.8" (61 cm)

### AVS240SM (OPEN FRAME)

IPS LED, 2K FHD 1920 X 1080

#### FEATURES

Full IPX4 (IP65 Front) Waterproof TV -  
When Sealed to the Glass

DTV: DVB-T/T2/C/S2, Freeview

ATV: PAL / SECAM

Screen Finish: N/A

Integrated Vibration Speakers 2\*8W

I/O: 2 x HDMI, TV (75Ohm),  
TV (S2), Mini AV, Mini YPBPR,  
PC Audio In, 2 x USB, DC In,  
CI Slot (CI +), IR Pass Through

IP66 Waterproof Remote Control +  
Premium Remote Control

Power Adapter AC 100-240V to DC

#### SCREEN PARAMETERS

Aspect Ratio 16:9

Contrast 1000:1

Viewing Angle (H/V) 178°/178°

#### MOUNTING

In-Wall Installation Behind the Mirror

Installation Metal Back Box Included

Mirror NOT Included



FOR CUSTOMISED / BIG MIRROR  
INSTALLATIONS

#### OPEN FRAME

PANEL BRIGHTNESS: 700 CD/M2

PLEASE NOTE: MIRROR NOT INCLUDED



## SMART TV

### ANDROID 9

IPS LED, 4KUHD 3840 X 2160

### FEATURES

Full IPX4 (IP65 Front) Waterproof TV - When Sealed to the Glass

DTV: DVB-T/T2/C/S2, Freeview

ATV: PAL, SECAM, NTSC

Screen Finish: N/A

Integrated Vibration Speakers 2\*10W

I/O: 3 x HDMI, TV (75Ohm), TV (S2), Optical Fiber, 2 x USB, DC/AC In, RJ45, IR Pass Through, VGA, Composite In (RCA)

IP66 Waterproof Remote Control + Premium Remote Control

Power Adapter AC 100-240V to DC or AC 100-240V Input

Bluetooth

### SCREEN PARAMETERS

Aspect Ratio 16:9

Contrast 1200:1


Viewing Angle (H/V) 178°/178°

### MOUNTING

In-Wall Installation Behind the Mirror

Installation Metal Back Box Included

Mirror NOT Included



## FOR CUSTOMISED / BIG MIRROR INSTALLATIONS

**43" (108cm)**

**AVS430SM  
(OPEN FRAME)**

PANEL BRIGHTNESS:  
800 CD/M2

**65" (164cm)**

**AVS650SM  
(OPEN FRAME)**

PANEL BRIGHTNESS:  
800 CD/M2

**55" (140cm)**

**AVS550SM  
(OPEN FRAME)**

PANEL BRIGHTNESS:  
800 CD/M2

**75" (191cm)**

**AVS750SM  
(OPEN FRAME)**

PANEL BRIGHTNESS:  
400 CD/M2

PLEASE NOTE: MIRROR NOT INCLUDED



## 21.5" (55 cm)

### AVS2200F (OPEN FRAME)

IPS LED, 2KFHD 1920 X 1080

#### FEATURES

Super Slim On-Wall Design  
(29.5 mm)

Smart TV (Android TV + DVB-T/T2)

DTV: DVB-T/T2/C/S2, Freeview

ATV: PAL / SECAM

Screen Finish: N/A

Integrated Speakers (Optional)

External Speakers 2\*8W:  
Provided by client

I/O: 3 x HDMI, TV (75Ohm),  
TV (S2), 1 x VGA, 1xComposite In  
(AV2,RCA), RJ45, Audio Out - L+R by  
Cable (RPRN,LN,LP), 2 x USB (USB2.0),  
IR Pass Through

IP66 Waterproof Remote Rontrol +  
Air Mouse (BT Voice Remote Control)

AC Power Cord (90-264V)

Bluetooth

#### SCREEN PARAMETERS

Aspect Ratio 16:9

Contrast 1000:1

Viewing Angle (H/V) 178°/178°

#### MOUNTING

On-Wall Installation -  
Behind the Mirror

Mirror NOT Included



## ULTRA HIGH BRIGHTNESS

### OPEN FRAME

PANEL BRIGHTNESS: 1000 CD/M2

PLEASE NOTE: MIRROR NOT INCLUDED



## 27" (69 cm)

### AVS2700F (OPEN FRAME)

IPS LED, 2KFHD 1920 X 1080

#### FEATURES

Super Slim On-Wall Design  
(29.5 mm)

Smart TV (Android TV + DVB-T/T2)

DTV: DVB-T/T2/C/S2, Freeview

ATV: PAL / SECAM

Screen Finish: N/A

Integrated Speakers (Optional)

External Speakers 2\*8W:  
Provided by client

I/O: 3 x HDMI, TV (75Ohm),  
TV (S2), 1 x VGA, 1 x Composite In  
(AV2,RCA), RJ45, Audio Out - L+R by  
Cable (RPRN,LN,LP), 2 x USB (USB2.0),  
IR Pass Through

IP66 Waterproof Remote Rontrol +  
Air Mouse (BT Voice Remote Control)

AC Power Cord (90-264V)

Bluetooth

#### SCREEN PARAMETERS

Aspect Ratio 16:9

Contrast 1000:1

Viewing Angle (H/V) 178°/178°

#### MOUNTING

On-Wall Installation -  
Behind the Mirror

Mirror NOT Included



Bathroom Vanity Mirror TV



Hairdressing Salon Mirror TV

## ULTRA HIGH BRIGHTNESS

### OPEN FRAME

PANEL BRIGHTNESS: 1000 CD/M2

PLEASE NOTE: MIRROR NOT INCLUDED



## 21.5" (55 cm)

### AVS220BT

IPS LED, 2KFHD 1920 X 1080

#### FEATURES

Mirror Size : 65 cm x 85 cm

LED - 50CM (Nature White Light,  
Touch Switch Button)

Super Slim On-Wall Design  
(34.5 mm)

Smart TV (Android TV + DVB-T/T2)

Ultra High Brightness (1000 cd/m<sup>2</sup>)

DTV: DVB-T/T2/C/S2, Freeview

ATV: PAL / SECAM

Screen Finish: N/A

Integrated Speakers: 2\* 8W

I/O: 3 x HDMI, TV (75Ohm),  
TV (S2), 1 x VGA, 1 x Composite In  
(AV2,RCA), RJ45, 2 x USB (USB2.0), IR  
Pass Through

IP66 Waterproof Remote Control +  
Air Mouse(BT Voice Remote Control)

AC Power Cord (90-264V)

Bluetooth

#### SCREEN PARAMETERS

Aspect Ratio 16:9

Contrast 1000:1

Viewing Angle (H/V) 178°/178°

#### MOUNTING

On-Wall Installation



## SMART TV & ULTRA HIGH BRIGHTNESS

### OPEN FRAME

PANEL BRIGHTNESS: 1000 CD/M<sup>2</sup>

Contact Us



# AVEL INNOVATIONS

---

## ABN

21 655 429 655

## MOBILE

0423 494 545

## EMAIL

[INFO@AVELINNOVATIONS.COM.AU](mailto:INFO@AVELINNOVATIONS.COM.AU)

## WEBSITE

[WWW.AVELINNOVATIONS.COM.AU](http://WWW.AVELINNOVATIONS.COM.AU)

## ADDRESS

2 CATHERINE STREET, COBURG NORTH, VICTORIA AUSTRALIA 3058



Avel Innovations Pty Ltd is the Australian Distributor for Avis Electronics Inc.  
506-507A, HuiGu ChuangXin Technology park, JingBei road, Shiyan town,  
Baoan district, Shenzhen, Guangdong, China, 518108